

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Keno[™]cox
Product code : 847

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial/Professional use spec
Use of the substance/mixture : See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CID LINES NV
Waterpoortstraat, 2
B-8900 Ieper - Belgique
T + 32 57 21 78 77 - F +32 57 21 78 79
sds@cidlines.com - <http://www.cidlines.com>

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
USA	American Association of Poison Control Centers		1-800-222-1222	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 1A H314
Specific target organ toxicity — Repeated exposure, Category 2 H373
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05



GHS07



GHS08



GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) :
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H373 - May cause damage to organs through prolonged or repeated exposure.
H410 - Very toxic to aquatic life with long lasting effects.

Keno™cox

Safety Data Sheet

Precautionary statements (CLP)	: P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P273 - Avoid release to the environment. P280 - Wear protective clothing, protective gloves. P301+P330+P331+P310: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.. Immediately call a POISON CENTER/doctor P305+P351+P338+P310 - IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.. Immediately call a POISON CENTER/doctor P303+P361+P353+P310 - IF ON SKIN (or hair) Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER/doctor P284 - Wear respiratory protection. P391 - Collect spillage. P501 - Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
--------------------------------	--

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	(CAS-No.) 2372-82-9 (EC-No.) 219-145-8 (REACH-no) 01-2119980592-29	>= 30	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Alcohols, C12-15, ethoxylated	(CAS-No.) 68131-39-5 (REACH-no) 01-2119488720-33	5 - 15	Aquatic Acute 1, H400 Aquatic Chronic 3, H412
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	(CAS-No.) 61789-40-0 (EC-No.) 263-058-8 (REACH-no) Pre-registered	1 - 5	Eye Irrit. 2, H319
Trisodium 2-[bis(carboxylatomethyl)amino]propanoate	(CAS-No.) 164462-16-2 (REACH-no) 01-0000016977-53	1 - 5	Not classified
Isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2	1 - 5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Seek medical attention immediately.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical advice (show the label where possible).
First-aid measures after eye contact	: Rinse immediately with plenty of water. Seek medical attention immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation of vapour can cause breathing difficulties. Cough. Sore throat.
Symptoms/effects after skin contact	: Redness, pain. Causes severe skin burns and eye damage.
Symptoms/effects after eye contact	: Redness, pain. Blurred vision. Tears. Serious damage to eyes.
Symptoms/effects after ingestion	: Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.
Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.
Hazardous decomposition products in case of fire : Toxic fumes may be released. Corrosive vapours.

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flammable resistant/retardant clothing. Eliminate all ignition sources if safe to do so.
Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flammable resistant/retardant clothing. Heat resistant gloves.
Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : When handling product, avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable metal. Keep container closed when not in use. Protect from freezing.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropanol (67-63-0)		
EU	IOELV TWA (mg/m³)	983 mg/m³
EU	IOELV TWA (ppm)	400 ppm
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom	Regulatory reference	EH40. HSE

Keno™cox

Safety Data Sheet

Alcohols, C12-15, ethoxylated (68131-39-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2080 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	294 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	87 mg/m³
Long-term - systemic effects, dermal	1250 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.0446 mg/l Assessment factor: 1
PNEC aqua (marine water)	0.0446 mg/l Assessment factor: 1
PNEC aqua (intermittent, freshwater)	0.0446 mg/l Assessment factor: 1
PNEC (Sediment)	
PNEC sediment (freshwater)	41.3 mg/kg dwt
PNEC sediment (marine water)	41.3 mg/kg dwt
PNEC (Soil)	
PNEC soil	1 mg/kg dwt Assessment factor: 100
PNEC (STP)	
PNEC sewage treatment plant	10000 mg/l Assessment factor: 1
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0.91 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.35 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.7 mg/m³
Long-term - systemic effects, dermal	0.54 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.001 mg/l Assessment factor: 10
PNEC aqua (marine water)	0.0001 mg/l Assessment factor: 100
PNEC aqua (intermittent, freshwater)	0.00015 mg/l Assessment factor: 100
PNEC (Sediment)	
PNEC sediment (freshwater)	8.5 mg/kg dwt
PNEC sediment (marine water)	0.85 mg/kg dwt
PNEC (Soil)	
PNEC soil	45.34 mg/kg dwt Assessment factor: 50
PNEC (STP)	
PNEC sewage treatment plant	1.33 mg/l Assessment factor: 10
Trisodium 2-[bis(carboxylatomethyl)amino]propanoate (164462-16-2)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	2000 mg/kg bodyweight/day
Acute - local effects, dermal	2000 mg/cm²
Acute - local effects, inhalation	40 mg/m³
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	40 mg/m³
Long-term - local effects, inhalation	4 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	400 mg/kg bodyweight
Acute - systemic effects, inhalation	20 mg/m³
Acute - systemic effects, oral	85 mg/kg bodyweight
Acute - local effects, dermal	400 mg/cm²
Acute - local effects, inhalation	20 mg/m³
Long-term - systemic effects, oral	17 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	20 mg/m³
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day
Long-term - local effects, inhalation	2 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l Assessment factor: 50
PNEC aqua (marine water)	0.2 mg/l Assessment factor: 500
PNEC aqua (intermittent, freshwater)	1 mg/l Assessment factor: 100

Keno™cox

Safety Data Sheet

Trisodium 2-[bis(carboxylatomethyl)amino]propanoate (164462-16-2)	
PNEC (Sediment)	
PNEC sediment (freshwater)	24 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.5 mg/kg dwt Assessment factor: 100
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l Assessment factor: 10
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	< mg/kg bodyweight/day
Long-term - systemic effects, dermal	5.7 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3.96 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	3.4 mg/kg bodyweight/day
Long-term - systemic effects, dermal	3.4 mg/kg bodyweight/day
Long-term - local effects, inhalation	1.64 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.0009 mg/l
PNEC aqua (marine water)	0.00096 mg/l
PNEC aqua (intermittent, freshwater)	0.00016 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	12.27 mg/kg dwt
PNEC sediment (marine water)	13.09 mg/kg dwt
PNEC (Soil)	
PNEC soil	7 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	0.4 mg/l

8.2. Exposure controls

Materials for protective clothing:

Condition	Material	Standard
Good resistance:		EN14605:2005+A1:2009

Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5	2 (< 1.5)	EN 374

Eye protection:

Chemical goggles or face shield with safety glasses

Type	Use	Characteristics	Standard
Safety glasses, Safety goggles, Face shield	Droplet	clear, Plastic	EN 166

Skin and body protection:

Wear suitable protective clothing

Type	Standard
	EN14605:2005+A1:2009

Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

Device	Filter type	Condition	Standard
Full face mask	Filter P (white)	Protection for Liquid particles, Vapour protection, Long term exposure	EN 132, EN 140
Reusable half mask, Disposable half mask	(FFP2)	Long term exposure, Vapour protection, Protection for Liquid particles	EN 132, EN 140

Keno™cox

Safety Data Sheet

Personal protective equipment symbol(s):



Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: colourless to slightly yellow.
Odour	: No data available
Odour threshold	: No data available
pH	: ≈ 12.7 (100%)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 44 °C ASTM D 4206 Test L.2 Sustained combustion test
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 0.97 kg/l
Solubility	: Water: 100 %
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Additional information	: No hazardous good class 3 according UN Manual of Tests and Criteria, part III, section 32.2.5 (combustibility is not sustained).
------------------------	--

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Harmful if swallowed.
-----------------------	-------------------------------

Keno™cox

Safety Data Sheet

Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Not classified

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LD50 oral	344 mg/kg
LD50 dermal	300 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.
 pH: ≈ 12.7 (100%)
 Serious eye damage/irritation : Serious eye damage, category 1, implicit
 pH: ≈ 12.7 (100%)
 Respiratory or skin sensitisation : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified
 Reproductive toxicity : Not classified

STOT-single exposure : Not classified
 STOT-repeated exposure : No data available
 Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Very toxic to aquatic life.
 Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LC50 other aquatic organisms 1	0.03 mg/l Algae
--------------------------------	-----------------

12.2. Persistence and degradability

Isopropanol (67-63-0)

Biodegradation	95 %
----------------	------

12.3. Bioaccumulative potential

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)

Log Kow	0.34 20°C
---------	-----------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Log Kow	2.96
---------	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.
 Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point. Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Sewage disposal recommendations : Disposal must be done according to official regulations.
 Product/Packaging disposal recommendations : When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
 European List of Waste (LoW) code : 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Keno™cox

Safety Data Sheet

14.1. UN number

UN-No. (ADR)	: 3267
UN-No. (IMDG)	: 3267
UN-No. (IATA)	: 3267
UN-No. (ADN)	: 3267
UN-No. (RID)	: 3267

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine)
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine)
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine)
Proper Shipping Name (ADN)	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine)
Proper Shipping Name (RID)	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine)
Transport document description (ADR)	: UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine), 8, III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine), 8, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine), 8, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Alkyldimethylbenzylammonium Chloride Dodecyl dipropylene triamine), 8, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



IATA

Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8



ADN

Transport hazard class(es) (ADN)	: 8
----------------------------------	-----

Keno™cox

Safety Data Sheet

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

- Overland transport

Transport regulations (ADR) : No hazardous good class 3 according UN Manual of Tests and Criteria, part III, section 32.2.5 (combustibility is not sustained).

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 5l

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28


Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

Orange plates : 

Tunnel restriction code (ADR) : E

EAC code : 2X

APP code : B

Keno™cox

Safety Data Sheet

- Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SG35
MFAG-No	: 153

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

- Inland waterway transport

Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: C7
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list

Keno™cox

Safety Data Sheet

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDSCLP3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product